

# ROOMS & VIEWS



## EC DECLARATION OF PERFORMANCE

(System 3)

Issue No: 002

Rooms and Views Manufacturing Limited  
Units 2 & 3 Brookhill Way  
Catheralls Industrial Estate  
Buckley  
Flintshire CH7 3PS

This document declares that the product:

Manufactured from the Linar profile suite (LSW/LCW)

System Description: Outward opening French Doors

For domestic and commercial buildings, conforms to the product requirements of  
BS EN 14351-1:2006+A1:2010 Annex ZA

Essential Characteristics	Performance	Test Standards	Name, Address and Notified Body No. of Test Laboratory	Test report reference and issue date
Water-tightness	PASS	BS EN 1027	TUV Rheinland. Body no. 0336	ERCT 0034 27/07/2016
Dangerous substances	NONE	BS EN 14351-1: 2006+A1:2010	n/a	Safety Data Sheet R&V issue 1 June 2013
Resistance to wind load	npd	BS EN 12211	Fullex Testing. Body no. 2259	FT994 & FT995 6th June 2015
Load-bearing capacity of safety devices	PASS	BS EN 948	Build Check Ltd. Body no. 1806	W13001.3
Acoustic performance	npd	BS EN ISO 140-3	n/a	n/a
Thermal transmittance	<1.6 W/m <sup>2</sup> .k	EN ISO 10077-1 & EN ISO 10077-2 (or EN ISO 12567-1 and prEN 12567-2)	Build Check Ltd. Body no. 1806	R&V Linar Door 001
Radiation properties	npd	EN 410	n/a	n/a
Air permeability	PASS	BS EN 1026	TUV Rheinland. Body no. 0336	ERCT 0034 27/07/2016

This declaration of performance is issued under the sole responsibility of Rooms & Views.

Signed for and on behalf of Rooms & Views:

Signed...

KEVIN McCLURE...

MANAGING DIRECTOR

22nd November 2017



**EC DECLARATION OF PERFORMANCE**

(System 3)

Issue No: 001

Rooms and Views Manufacturing (South Wales & West) Limited  
 Ashvale Industrial Estate  
 Fairview, Tredegar  
 Blaenau Gwent, NP22 3HA

This document declares that the product:

Manufactured from the Liniar profile suite (LSW/LCW)

System Description: Outward opening French Doors

For domestic and commercial buildings, conforms to the product requirements of  
**BS EN 14351-1:2006+A1:2010 Annex ZA**

Essential Characteristics	Performance	Test Standards	Name, Address and Notified Body No. of Test Laboratory	Test report reference and issue date
Water-tightness	PASS	BS EN 1027	TUV Rheinland. Body no. 0336	ERCT 0034 27/07/2016
Dangerous substances	NONE	BS EN 14351-1: 2006+A1:2010	n/a	Safety Data Sheet R&V issue1 June 2013
Resistance to wind load	npd	BS EN 12211	Fullex Testing. Body no. 2259	FT994 & FT995 6th June 2015
Load-bearing capacity of safety devices	PASS	BS EN 948	Build Check Ltd. Body no. 1806	W13001.3
Acoustic performance	npd	BS EN ISO 140-3	n/a	n/a
Thermal transmittance	<1.6 W/m <sup>2</sup> .k	EN ISO 10077-1 & EN ISO 10077-2 (or EN ISO 12567-1 and prEN 12567-2)	Build Check Ltd. Body no. 1806	R&V Liniar Door 001
Radiation properties	npd	EN 410	n/a	n/a
Air permeability	PASS	BS EN 1026	TUV Rheinland. Body no. 0336	ERCT 0034 27/07/2016

This declaration of performance is issued under the sole responsibility of Rooms & Views.

Signed for and on behalf of Rooms & Views:

Signed... 

KEVIN McCLURE...

MANAGING DIRECTOR

22nd November 2017